

HIGH-GRADE VMS DISCOVERY · BATHURST MINING CAMP · NEW BRUNSWICK, CANADA



# Nine Mile Metals

## Unlocking New Brunswick's Historic Critical Minerals Camp Using Modern Data, AI-Driven Targeting & Advanced Exploration Technologies

*Positioned at the intersection of copper, critical minerals, and  
the infrastructure buildout of AI, energy & electrification*

★ Highest-Grade Copper Drill Results Ever Recorded in the Bathurst Mining Camp

Cu | Pb | Zn | Ag | Au

2 September 2026

WEBSITE: [WWW.NINEMILEMETALS.COM](http://WWW.NINEMILEMETALS.COM)

CSE:NINE

OTCID: VMSXF

FSE: KQ9

This material includes “forward-looking” statements or information within the meaning of Canadian securities legislation and the United States Private Securities Litigation Reform Act of 1995. Forward-looking statements relate to future events or the anticipated performance of Nine Mile Metals (“the Company” or “Nine Mile Metals”) and reflect management’s expectations, objectives or beliefs regarding such future events and anticipated performance. In certain cases, forward-looking statements can be identified by the use of words such as “further” “suggests”, “further evidence”, “potentially”, “possibly”, “indicates” or variations of such words and phrases or statements that certain actions, events or results “may”, “could”, “would”, “might”, or “will be taken”, “occur” or “be achieved”, or the negative of these words or comparable terminology. Forward-looking statements rely on a number of assumptions which management believes to be reasonable, including assumptions regarding the Company’s ability to obtain necessary financing, personnel, equipment and permits to complete its proposed exploration plans, and to identify additional mineral properties for exploration. By their very nature forward-looking statements involve known and unknown risks, uncertainties and other factors which may cause the actual performance of the Company to be materially different from any anticipated performance expressed or implied by the forward-looking statements. Such factors include various risks related to the Company’s operations, including, without limitation, fluctuations in spot and forward markets for copper and other metals, fluctuations in currency markets, changes in national and local governments in British Columbia and generally, the speculative nature of mineral exploration and development, risks associated with obtaining necessary operating and environmental permits, the presence of laws and changes in regulations that may impose restrictions on mining, limitations in respect of management time and resources, lack of personnel and equipment necessary to carry out the Company’s proposed exploration and development and other delays (including in obtaining financing) which could result in the Company

missing expected timelines, and the fact that the Company may not be able to identify additional mineral properties for acquisition or option on acceptable terms. Although the Company has attempted to identify important factors that could cause actual performance to differ materially from that described in forward-looking statements, there may be other factors that cause its performance not to be as anticipated. The Company neither intends nor assumes any obligation to update these forward-looking statements or information to reflect changes in assumptions or circumstances other than as required by applicable law. There can be no assurance that forward-looking statements will prove to be accurate, as actual results and future events could differ materially from those currently anticipated. The information contained in this document is drawn from sources believed to be reliable, but the accuracy and completeness of the information is not guaranteed, nor does the Company assume any liability. The Company disclaims all responsibility and accepts no liability (including negligence) for the consequences for any person acting, or refraining from acting, on such information. This document is neither an offer nor the solicitation of an offer to sell or purchase any investment. Any unauthorized use, disclosure, distribution or copying of this document by anyone other than the intended recipient is strictly prohibited. The information and content of a scientific or technical nature contained in this corporate presentation has been prepared by or under the supervision of Gary Lohman, B.Sc., P.Geo., VP Exploration, who acts as the Company’s Qualified Person, and is not independent of the Company for the purposes of National Instrument 43-101. No mineral resource or mineral reserve has been estimated on any Nine Mile Metals property to date. Copper equivalent values shown in this presentation are for comparison only and are not directly comparable between holes; each is calculated on the metal prices and recovery assumptions disclosed in its own news release, which differ by release. Certain results shown are based on visual examination of drill core, are identified as such where they appear, and are not a substitute for assay results.



## WHY NINE MILE, WHY NOW

### 3.49% CuEq

New high-grade lens at a past-producing copper mine — three phases drilled, each one extended the system. The thesis is playing out hole by hole.

24.55m true width · WD-26-09 · NI 43-101 · NR Aug 12, 2026

### 10.12% Cu

Highest-grade copper ever drilled in the Bathurst Mining Camp — at Nine Mile Brook.

15.10m · NM220004 · NI 43-101 · NR Jul 8, 2022

### 7 Targets

Modern AI-driven surveys defined seven high-conviction drill targets along the 6.5 km Wedge VMS Trend — now being tested in the active 10,000m program.

Maxwell Plate modelling · EarthEx + Apex Geoscience

### 335+ Mt

Next door. Nine Mile holds 136 km<sup>2</sup> across four projects in the camp that produced Brunswick No. 12 — one of the largest underground mines ever mined.

624 claims · road, rail & deep-water port

### 50,000 t


Copper in one AI hyperscale data centre — up to 10× a conventional facility.  
The AI buildout is a copper buildout.

Copper Development Association · S&P Global, Jan 2026

### Resource estimate underway

Three phases drilled, each one extended the system. Phase 3 is underway and returning certified assays. Apex Geoscience is rebuilding the model — the step from drill results to a defined deposit.

Wedge NI 43-101 resource estimate in progress · Apex Geoscience



**10.12% Cu**  
/ 15.10m

Highest-grade Cu ever drilled in the BMC · Nine Mile Brook · NI 43-101  
· NR Jul 8, 2022

**2.78% CuEq**  
/ 32.10m

Wide Cu interval · The Wedge Phase 2 western extension · NI 43-101  
· NR Feb 17, 2026

**Past-Producing Copper Mine**


The Wedge · ~1.5 Mt @ ~2.88% Cu (Cominco) · Expanding with modern technology

**Bathurst Mining Camp**

Adjacent to Brunswick No. 12 (~335 Mt) & No. 6 (~12 Mt) · 3rd largest VMS camp in the world

Historic production figures are sourced to McCutcheon & Walker (2020) and are not current mineral resources. See Technical Notes.

## THE GAP · DEMAND AGAINST SUPPLY TO 2040



S&P Global, Jan 2026.

## THE BUILDOUT IS ALREADY HERE

### One AI campus now uses the power of 1.5 million homes

Elon Musk is building Colossus in Memphis — the world's largest AI supercomputer site, roughly 2 GW, more than one million chips, over \$20 billion.

Each campus of that scale locks in up to **50,000 tonnes of copper**. Data-centre power demand is forecast to rise **165%** by 2030.

Reuters, Dec 2025 · Copper Development Association · Goldman Sachs



**Copper is the great enabler of electrification — but the accelerating pace of electrification is an increasing challenge for copper. Supply is not on track to keep pace.**

— Daniel Yergin, Vice Chairman, S&P Global · Pulitzer Prize-winning energy historian

**~9 Mt**

Copper supply deficit by 2030  
(BMO Capital Markets)

**US\$100B+**

Investment needed to build new supply  
(CRU Group)

**~50%**

Global copper demand growth to 2040  
(S&P Global)

**~30%**

Projected supply shortfall by 2035  
(IEA)

# New Brunswick Is Open — And The Majors Are Arriving

## THE POLICY SHIFT — 2026



### New Mining Act

A 78-page bill tabled May 13, 2026 to replace the Mining Act of 1985. Streamlined approvals, one impact assessment.



### Comprehensive Minerals Strategy

Released March 2026, one-stop permitting.

New Brunswick's  
Comprehensive  
Minerals Strategy

STRATEGIC FRAMEWORK

October 21, 2025

Brunswick

Source: gnb.ca

## Lowest-cost drilling in Canada

## THE MAJORS ARE MOVING IN

### Agnico Eagle

Selected July 7, 2026 to negotiate an exclusive exploration agreement for the Lake George antimony mine, via subsidiary Avenir Minerals

### Canadian Copper

C\$96M committed capital, April 2026, for Murray Brook and the Caribou processing plant; first production targeted 2028–29

### Kinross Gold

C\$16.75M for Williams Brook, 2024–2030; first major gold producer to establish a presence in New Brunswick



**With our new Comprehensive Minerals Strategy and our new Mineral Resources Act, we are taking bold and decisive action to reimagine New Brunswick's mineral sector.**

— John Herron, Minister of Natural Resources · Government of New Brunswick, 13 May 2026

## MAJOR COMPANY PRESENCE — BMC PEDIGREE:

GLENCORE

Teck

**noranda**



**BHP**



Source: Wikimedia Commons

# Bathurst Mining Camp — One Of The World's Great VMS Districts



## 49 Years

Brunswick No. 12 in continuous production, 1964–2013 — one of the largest underground base-metal mines in the world

## 45 Deposits

Known massive sulphide deposits across the camp

## 180+ Mt

Ore produced from 12 deposits, 1957–2013

~70%

Still undiscovered

**1952:** Airborne EM found Brunswick No. 6 and launched the camp.

**2026:** Nine Mile is flying UAV, TDEM, BHEM and 3D AI modelling.

|                                           | Tonnes    | Cu % | Pb % | Zn %  | Ag g/t | Au g/t | CuEq % |
|-------------------------------------------|-----------|------|------|-------|--------|--------|--------|
| MINED — BATHURST MINING CAMP, 1957–2013   |           |      |      |       |        |        |        |
| Brunswick No. 12 · 49 years               | 136.64 Mt | 0.37 | 3.44 | 8.74  | 102.2  | —      | —      |
| Heath Steele B Zone                       | 20.72 Mt  | 0.98 | 1.75 | 4.79  | 65.5   | —      | —      |
| Brunswick No. 6                           | 12.76 Mt  | 0.40 | 2.15 | 5.45  | 66.5   | —      | —      |
| Heath Steele ACD Zone                     | 0.55 Mt   | 0.29 | 4.18 | 11.26 | 111    | —      | —      |
| Camp average — all 11 base-metal deposits | 178.77 Mt | 0.47 | 3.12 | 7.91  | 93.9   | —      | —      |
| Wedge · Cominco · 1962–68                 | 1.50 Mt   | 2.88 | 0.65 | 1.61  | 20.6   | —      | —      |

The highest-grade copper deposit ever mined in this camp — and the deposit we're drilling now.

|                                                             |   |      |      |      |       |      |      |
|-------------------------------------------------------------|---|------|------|------|-------|------|------|
| NINE MILE · THE WEDGE — CERTIFIED DRILL RESULTS (NI 43-101) |   |      |      |      |       |      |      |
| Phase 1 · WD-24-07 · 40.32m                                 | — | 1.20 | 0.18 | 0.88 | 8.00  | 0.12 | 1.65 |
| Phase 2 · WD-25-02 · 32.10m                                 | — | 1.53 | 0.47 | 1.81 | 14.09 | 0.35 | 2.78 |
| Phase 3 · WD-26-07 · 24.00m                                 | — | 1.88 | 0.55 | 1.09 | 17.10 | 0.26 | 2.77 |

|                                                       |   |       |      |      |       |      |       |
|-------------------------------------------------------|---|-------|------|------|-------|------|-------|
| NINE MILE BROOK — CERTIFIED DRILL RESULTS (NI 43-101) |   |       |      |      |       |      |       |
| NM220004 · 15.10m                                     | — | 10.12 | 1.41 | 1.00 | 91.47 | 0.84 | 13.71 |

Most of this camp has never been tested at depth — nobody could see below the surface. Until now.

NEXT: HOW WE SEE →

Historic production tonnages and grades sourced to McCutcheon, S.R. and Walker, J.A. (2020), Geoscience Canada, v.47(3), Table 1, published by the Geological Association of Canada. Nine Mile results are drill intersections, not deposit grades, and are not directly comparable to the mined deposits above. Copper equivalent values are calculated on the metal prices and recovery assumptions disclosed in each result's news release and differ between holes; they are not directly comparable. See Technical Notes and the Company's filings on SEDAR+.

# Seeing What 70 Years Of Exploration Couldn't

## HOW WE FIND WHAT'S HIDDEN, IN PLAIN ENGLISH

1

### Re-read the old data

The full historic record for the Wedge and our other projects, reprocessed



2

### Fly it with drones

UAV drone surveys at a resolution the original explorers could not reach



3

### Light up the sulphides

TDEM at surface, BHEM down the hole, making metal bodies glow hundreds of meters down



4

### Model the target in 3D

EarthEx modelling produced seven ranked Maxwell Plate targets. Apex Geoscience is now building the deposit model from all survey and drill data



5

### Aim the drill

every hole tests a modelled target, and each result sharpens the next

### EARTHEX — the technology.

## AIM THE DRILL.

Daniel Card, P.Geo., RPGeo — founder, President and Chief Geophysicist; formerly Abitibi Geophysics and Southern Geoscience. The system read one third of the trend and produced seven ranked, drill-ready targets at 300–450m. Full pipeline in-house: UAV acquisition, TDEM/BHEM, 3D modelling and Maxwell Plate targeting — the same physics that found Brunswick No. 6 in 1952, at resolution the original explorers couldn't imagine.

### APEX — the team.

## 100+ geoscientists · 4+ Moz Au.

Mike Dufresne, M.Sc., P.Geo., President and co-founder, working directly with Nine Mile. Discovery teams: George–Goose Lake (4+ Moz), Three Bluffs (760 koz), Perseverance. VMS résumé includes the Chester **Deposit in this camp**. Full team on the ground across all four projects.

**The proof it works:** seven high-conviction targets from the first third of the 6.5 km Wedge VMS Trend — being drilled right now in the 10,000m Phase 3 program.


# Four Projects, One District — 136 km<sup>2</sup> In The Heart Of The Camp

**136 km<sup>2</sup>**

**624** Claims

**4** Projects

Consolidated position surrounding the historic producers of the world's third-largest VMS camp.



## THE WEDGE

35.83 km<sup>2</sup> · 164 claims

Past-producing copper mine. New high-grade lens on the western flank.

**10,000M PHASE 3 — DRILLING NOW**

## NINE MILE BROOK

50.04 km<sup>2</sup> · 229 claims

Highest-grade copper ever drilled in the camp — 10.12% Cu over 15.10m.

**BULK SAMPLE UNDERWAY**

## CALIFORNIA LAKE

35.83 km<sup>2</sup> · 164 claims

VMS system confirmed at depth. Source target now drilling.


**TARGET #6 IN ACTIVE PHASE 3**

## CANOE LANDING LAKE

14.64 km<sup>2</sup> · 67 claims

Surrounds a known deposit and connects the Wedge to California Lake.

**TARGETING UNDERWAY**



Brunswick No. 12 — 136.64 Mt · Brunswick No. 6 — 12.76 Mt · Nine Mile Brook lies 10 km southwest of Brunswick No. 12. Historic production sourced to McCutcheon & Walker (2020).

# They Mined 1.5 Million Tonnes. They Never Found The Bottom.

Past-producer credentials — Cominco, approximately 1.5 Mt at 2.88% Cu, mined 1962–68. Every modern phase has extended the system: open at depth, along strike, and on the western flank.

*Three phases drilled — every one has extended the system. Phase 3 is underway and a resource estimate is in progress.*

**35.83 km<sup>2</sup> 164 claims**

**PHASE 3 — 10,000m DRILLING NOW**

Wedge production figures are historical. See Technical Notes.

# The Wedge — Every Phase Has Extended The Deposit.

## PHASE 1 · 2024 — CERTIFIED ASSAYS ✓

- ◆ **WD-24-07:** 40.32m @ 1.65% CuEq — incl. 13.12m @ 2.29% CuEq and 5.50m @ 3.25% CuEq

## PHASE 2 · FALL 2025 — CERTIFIED ASSAYS ✓

- ◆ **WD-25-01:** 22.65m @ 3.83% CuEq — and 17.65m @ 4.33% CuEq · new Au-Ag zone 13.00m @ 1.21 g/t Au, 50.33 g/t Ag
- ◆ **WD-25-02:** 32.10m @ 2.78% CuEq — incl. 11.52m @ 4.78% CuEq and 6.02m @ 5.64% CuEq · three distinct VMS zones
- ◆ **WD-25-2B:** 15.00m @ 3.17% CuEq — incl. 6.84m @ 5.99% CuEq · ended in mineralization at 122m, new lens on the western flank

## PHASE 3 · 2026 — ACTIVE NOW · CERTIFIED ASSAYS ✓

### Each Phase Goes Deeper. Each One Finds More.

- ◆ **WD-26-07:** two zones, 42.85m total mineralization — lower zone 24.00m @ 2.77% CuEq incl. 9.20m @ 4.14% CuEq
- ◆ **WD-26-09:** 24.55m @ 3.49% CuEq (true width) — incl. 16.50m @ 4.03% CuEq and 6.50m @ 5.22% CuEq
- ◆ **WD-26-10:** 31.95m @ 2.52% CuEq (true width) — incl. 14.15m @ 3.73% CuEq and 4.15m @ 5.16% CuEq

“ **Drilling continues to expand the mineralized footprint in the southwest. As with DDH WD-26-07, we see a variation in the distribution of the mineralization, with this hole highlighting increased assay values for Ag, Au, Pb and Zn at depth, further demonstrating the multi-element value of the Wedge.**

— Gary Lohman, B.Sc., P.Geo., VP Exploration & Director

**System open along strike, at depth, and on the western flank.**

**PHASE 1 ✓**

**PHASE 2 ✓**

**PHASE 3 •**

WD-26-09 and WD-26-10 intervals are true widths; all other intervals are drilled core lengths. Further Phase 3 assays are pending at ALS Global. See Technical Notes.




FIGURE 2: Copper Bloom Core Sample — DDH WD-24-07 · 1.65% Cu-Eq over 40.32 m · news release May 16, 2024




FIGURE 1: Visible Massive Copper Mineralization from Zone 1 & 2 (including Covellite (CuS) & Bornite (Cu<sub>5</sub>FeS<sub>4</sub>)) — DDH WD-25-02 · news release December 3, 2025



FIGURE 1: Bornite copper samples #396431 (left) and #396432 (right) — DDH WD-26-09 · 3.49% Cu-Eq over 24.55 m, true width · news release August 12, 2026

# The Wedge — What 10,000 Meters Buys.



Apex Geoscience cross section — DDH WD-26-09 with WD-25-02 and WD-25-05, copper and zinc grades down hole · news release August 12, 2026 · vertical exaggeration 20x

## FOUR HUNTS, ONE PROGRAM:

- 1 Build Out The Wedge Mine**  
Increase the mineralized footprint and improve the economics.
- 2 Chase The New Lens West**  
WD-25-2B ended in 4.47% Cu; the hole stopped, the mineralization didn't
- 3 Go Deeper Than The Mine Ever Did**  
The expectation is that 60%+ of the deposit remains untouched, based on recent drill testing and 3D modelling
- 4 Open The Next Fronts: West Wedge And Tribag**  
Testing six priority targets on the same trend beyond the historic mine, including the West Wedge and Tribag targets.

**Every meter feeds the resource. Apex Geoscience is rebuilding the 3D model with Phase 1, 2, 3 and BHEM data — the work that converts three seasons of drilling into a defined, reportable deposit.**

Targets shown are conceptual and are not mineral resources. No mineral resource has been estimated on any Company property. See Technical Notes.

# The Highest-Grade Copper Hole In The Camp's History.

*Nine Mile Brook — 10.12% Cu over 15.10m (NM220004, NI 43-101), with internal samples to 18.55% Cu — in a camp mined for 65 years.*

**50.04 km<sup>2</sup>    229 claims**

**NEXT DRILL PROGRAM IN DEVELOPMENT — APEX DEFINING TARGETS**

See Technical Notes.

10.12% Cu  
over 15.10m  
· NM220004 · internal 1m samples to 18.55% Cu

13.71% CuEq  
the same 15.10m with zinc, lead, silver and gold included · individual samples to 22.06% CuEq

CERTIFIED DRILL ASSAYS — NI 43-101

| Hole             | Width  | Cu %  | Pb % | Zn %  | Ag g/t | Au g/t |
|------------------|--------|-------|------|-------|--------|--------|
| NM220003         | 10.45m | 6.92  | 2.52 | 5.60  | 179.28 | 1.33   |
| NM220004 ★       | 15.10m | 10.12 | 1.41 | 1.00  | 91.47  | 0.84   |
| incl. Zone 1 VMS | 6.36m  | 14.46 | 2.61 | 1.50  | 137.51 | 1.19   |
| NM220005         | 11.00m | 9.69  | 2.90 | 11.93 | 283.31 | 1.65   |
| NM220006         | 10.40m | 3.07  | 4.78 | 7.35  | 175.28 | 1.69   |

A high-grade polymetallic VMS lens in the camp that produced 180+ Mt.

BULK SAMPLE PROGRAM — PERMITTED AND UNDERWAY

PERMITTED · UNDERWAY · RESULTS PENDING

WHAT'S DONE

Bulk sample permit approved. Site development and reclamation plan approved. Baseline water and sediment sampling complete. Notice of Planned Work filed.

METALLURGICAL ANALYSIS — BULK SAMPLE

Two representative samples of the lens — one from the copper-rich end, one from the lead-zinc-silver end — together with the entire 15.10 m core intersection from NM220004, the highest-grade copper hole ever drilled in the Bathurst Mining Camp. All at SGS in Lakefield, Ontario.

**Direct Smelter Testing Analysis — Glencore Horne Smelter.** SGS will provide two specific samples to Glencore, who will conduct their own metallurgical and mineralogical analysis for their Horne Smelter in Rouyn-Noranda, Quebec.

WHAT'S BEING TESTED

How the material breaks down, and how the five metals separate from the rock and from each other. SGS is running head grade analysis, mineral identification, hardness testing, and gravity and flotation work. Results will be reported when received.

No metallurgical results from the bulk sample program have been reported to date. Recovery, concentrate quality and any processing route remain undetermined until testing completes, and no assurance is given that testing will demonstrate commercially viable recovery. No mineral resource or mineral reserve has been estimated on any Company property. Certified drill assays as reported in the Company's news release of 8 July 2022. See Technical Notes.

# California Lake — Proven At Depth. The Source Is The Target.

**1.5 km**

Conductive trend defined from reprocessed geophysics, running south to Target #6

**up to 18.45m**

Drill intersection widths

**\$40,000**


NBJMAP exploration grant from the  
Province of New Brunswick

## WHAT THE DRILLING PROVED:

The 2022 drilling confirmed VMS mineralization at depth across the target. EarthEx modelling traces a strong late-time conductive trend running 1.5 km south toward Target #6 — interpreted as the source of the system. Target #6 is in the active Phase 3 program.

## THE POSITION:

- ◆ 35.83 km<sup>2</sup> · 164 claims
- ◆ Cu, Pb, Zn, Ag, Au · 40 Mile Brook property recently added
- ◆ BHEM survey complete · EarthEx UAV 3D magnetic survey underway
- ◆ Apex designing ground-based EM



**Target #6 is included in the active 10,000m Phase 3 drill program — the first drill test of the interpreted source of the California Lake East trend.**

Drill results are certified assays as reported in the Company's news releases of November and December 2022. See Technical Notes.

# Canoe Landing Lake — The Proof Is Next Door.

Nine Mile owns the ground surrounding the Canoe Landing Lake Deposit — and it sits between our Wedge and California Lake projects.

14.64 km<sup>2</sup>

across 67 claims, East and West

100% owned

option exercised early, April 2024

### THE POSITION:


Nine known mineral occurrences sit inside the Nine Mile claim package, on the same host stratigraphy that carries the deposit next door and mineralization elsewhere in this part of the camp.

### THE DEPOSIT NEXT DOOR

The Canoe Landing Deposit is 100% owned by Wolfden Resources Corporation (TSXV: WLF), which describes it as one of the largest undeveloped polymetallic deposits in the Bathurst Mining Camp. Wolfden reported a maiden mineral resource estimate on 16 April 2026.

|           |              |         |         |         |          |         |
|-----------|--------------|---------|---------|---------|----------|---------|
| Indicated | 3,693,000 t  | 0.52 Cu | 0.57 Pb | 1.71 Zn | 32.87 Ag | 1.04 Au |
| Inferred  | 17,133,000 t | 0.53 Cu | 0.61 Pb | 1.83 Zn | 33.73 Ag | 0.95 Au |

Effective date 15 February 2026 · C\$100/t NSR cut-off · Source: Wolfden Resources news release, 16 April 2026, and NI 43-101 technical report filed on SEDAR+



Canoe Landing Lake VMS Project Geology

The Canoe Landing deposit is owned by Wolfden Resources Corporation, a third party, and has never been mined. Statements characterizing the deposit are Wolfden's own, taken from its public disclosure. It is not a Nine Mile Metals property, and Nine Mile Metals has no interest in, or rights to, that deposit or its mineral resources. The mineral resource estimate shown was prepared by and for Wolfden Resources Corporation and is presented here as adjacent-property information; the source is Wolfden's news release dated April 16, 2026 and its NI 43-101 technical report with an effective date of February 15, 2026, filed on SEDAR+. Nine Mile's Qualified Person has not verified this information, and mineralization on the adjacent Canoe Landing deposit is not necessarily indicative of mineralization on Nine Mile Metals' claims. Mineral resources are not mineral reserves and do not have demonstrated economic viability. Inferred mineral resources have a lower level of confidence than indicated mineral resources and must not be converted to mineral reserves. Indicated and inferred mineral resources are reported separately and must not be added together. Nine Mile Metals has not reported any mineral resource estimate on the Canoe Landing Lake property. Scientific and technical information on this page has been reviewed and approved by Gary Lohman, B.Sc., P.Geo., VP Exploration, the Company's Qualified Person under National Instrument 43-101.

# Active Programs — 10,000 Meters In The Ground, Results Coming.

| STATUS          | PROGRAM                                                | DETAIL                                                                                                                                                                                                                                                                                                                         |
|-----------------|--------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ACTIVE NOW      | <b>Wedge Phase 3 — 10,000m</b><br>The Wedge VMS Trend  | The largest program in Company history. Testing seven modelled targets at 300–450m along the 6.5 km Wedge VMS Trend, the new high-grade lens on the western flank, and depth below the historic mine.                                                                                                                          |
| ACTIVE NOW      | <b>Phase 3 certified assays</b><br>The Wedge VMS Trend | The Wedge VMS Trend — Every Phase 3 hole reported so far has returned certified polymetallic mineralization: copper, lead, zinc, silver and gold. Results are reported as received from ALS Global.                                                                                                                            |
| ACTIVE NOW      | <b>Tribag &amp; West Wedge</b><br>The Wedge VMS Trend  | Two high-priority target zones on the same trend, beyond the historic mine — both named in the Phase 3 program and next in the drill queue.                                                                                                                                                                                    |
| ACTIVE NOW      | <b>California Lake — Target #6</b>                     | Included in the 10,000m program. The first drill test of the interpreted source of the California Lake East trend, where 2022 drilling already confirmed VMS mineralization                                                                                                                                                    |
| IN DEVELOPMENT  | <b>Nine Mile Brook — next drill program</b>            | Apex Geoscience is defining targets on the lens that produced the highest-grade copper hole in the camp: 10.12% Cu over 15.10 m.                                                                                                                                                                                               |
| RESULTS PENDING | <b>Nine Mile Brook bulk sample</b>                     | Two representative samples and the full 15.10 m NM220004 core intersection at SGS Canada, Lakefield. Scope covers head grade analysis, mineralogy, hardness, gravity and flotation testwork. SGS will provide two specific samples to Glencore for their own metallurgical and mineralogical analysis for their Horne Smelter. |
| IN DEVELOPMENT  | <b>Wedge NI 43-101 resource</b>                        | Apex Geoscience — 100+ geoscientists, VMS discovery record in this camp — is rebuilding the 3D model with Phase 1, 2, 3 and BHEM data. That work feeds the Wedge resource estimate now underway: the step from drill results to a defined, reportable deposit.                                                                 |

## CAPITAL & FUNDING

**\$4.63M**

LIFE offering

**115%**

Premium to market

\$1,000,020 flow-through at C\$0.14 against a C\$0.065 market price at announcement, closed April 21, 2026

**\$1M+**

Warrant exercises

Program scope and the timing of results depend on factors outside the Company's control, including laboratory turnaround. Financial information should be read together with the Company's filings on SEDAR+. See Technical Notes.

# Management & Technical Team.

## LEADERSHIP

### **Patrick J. Cruickshank, MBA**

CEO & Director

MBA, Schulich School of Business. Over 20 years in wealth management with Merrill Lynch, Legg Mason and Citigroup Capital Markets, focused on funding growth companies.

### **Gary Lohman, B.Sc., P.Geo.**

VP Exploration & Director

Forty years as an exploration geologist across precious and base metals, with deep experience in VMS, porphyry and IOCG systems. Work spans Canada, Mexico, California, Ecuador and Chile.

### **Jonathan Holmes, B.A.**

President & Director

Has worked with more than 200 publicly listed companies across Canada, Australia and the United Kingdom, specializing in capital markets, corporate development and investor relations.

### **Kevin Hicks, M.Sc.**

Independent Director

Thirty-eight years in the oil and gas industry across Texas and Oklahoma, designing and implementing data acquisition and control technologies before moving into large-scale project management.

## BOARD & CORPORATE

### **Jimmy Jeon, CPA, CIA**

CFO

CPA with extensive expertise in accounting, regulatory compliance and financial management. Has provided CFO and advisory services to multiple public companies as part of the MSSl team in Toronto.

### **Jonathan Held, CPA, CA**

Independent Director

Seasoned financial executive with over fifteen years across public and private companies in natural resources, technology and biotechnology. Partner at ALOE Finance, a boutique transaction advisory firm.

### **Brett Wallace, LLB**

Independent Director

Geoscientist, lawyer and corporate executive with over 20 years spanning greenfields exploration through to mining operations, across copper, gold, nickel, iron ore and VMS deposits.

### **Andrew Newbury, B.A.**

Corporate Secretary

Over 20 years of corporate secretarial, administrative, financial and operational experience. Has served as Corporate Affairs Manager for junior mineral exploration companies.

## TECHNICAL TEAM

### **Art Hamilton, B.Sc., P.Geo.**

Geologist — Bathurst Mining Camp

Based in Bathurst, with over 40 years specializing in mineral exploration, mine geology and VMS deposits — most of it inside this camp. Two decades with Noranda Inc., including ten years as Project Geologist at the Heath Steele Mine.

### **Mike Dufresne, M.Sc., P.Geo.**

Apex Geoscience — Technical Advisory


President and co-founder of Apex Geoscience Ltd., a global geological and geoscience consultancy of 100+ professionals operating in more than 35 countries.

# Share Structure.

## Share Structure

As at 31 August 2026

|                        |             |
|------------------------|-------------|
| Issued and Outstanding | 194,956,267 |
| Warrants               | 63,497,064  |
| Options                | 17,500,000  |
| Fully Diluted          | 275,953,331 |
| Cash                   | \$4,917,772 |



Share figures as at 31 August 2026. Cash at 30 June 2026. All figures in Canadian dollars.

NOTES ON DRILL RESULTS

WD-26-09 and WD-26-10 intervals are reported as true widths. All other widths are drilled core lengths and true widths are not yet known. Certified assay results and visual estimates from core logging are identified separately wherever they appear. Assays for the remaining Phase 3 holes are pending at ALS Global.

COPPER EQUIVALENT

Copper equivalent values are for comparison only and are not directly comparable between holes; each is calculated on the metal prices and recovery assumptions disclosed in its own news release, which differ by release.

| HOLE / GROUP                | PRICING DATE     | SOURCE    | RECOVERY |
|-----------------------------|------------------|-----------|----------|
| 2024 Wedge holes            | 13 May 2024      | —         | 80%      |
| WD-25-02                    | 13 February 2026 | —         | 80%      |
| Nine Mile Brook bulk sample | 27 February 2026 | —         | 80%      |
| WD-25-2B                    | 1 April 2026     | —         | 80%      |
| WD-26-09                    | 11 August 2026   | Bloomberg | 95%      |
| WD-26-07                    | 15 August 2026   | Bloomberg | 95%      |
| WD-26-10                    | 26 August 2026   | Kitco     | 95%      |

DISTRICT RANKING

References to the Bathurst Mining Camp as the third largest VMS camp in the world are based on published district tonnage comparisons, which rank the camp third at approximately 250 Mt. Source: Barrie, C.T. and Hannington, M.D., Classification of Volcanic-Associated Massive Sulfide Deposits Based on Host-Rock Composition, Reviews in Economic Geology. That comparison excludes districts in China and the former Soviet Union.

HISTORICAL INFORMATION

Cominco production figures for the Wedge — approximately 1.5 Mt at 2.88% Cu, mined 1962–1968 — are historical, are sourced to McCutcheon et al. (2005), predate National Instrument 43-101, have not been verified by a Qualified Person, and are not current mineral resources or mineral reserves. Historic camp production tonnages and grades are sourced to McCutcheon, S.R. and Walker, J.A. (2020), Geoscience Canada, v.47(3), Table 1, published by the Geological Association of Canada.

NO MINERAL RESOURCE

No mineral resource or mineral reserve has been estimated on any Nine Mile Metals property to date. A mineral resource estimate for the Wedge is in progress; there is no assurance that it will be completed or that it will support a mineral resource. Geophysical targets shown are conceptual, are derived from modelling, and are not mineral resources.

QA/QC AND SAMPLE SECURITY

Samples are analyzed by ALS Global, Moncton, New Brunswick, an accredited laboratory independent of the Company. Base metals by ME-ICP61a four-acid digestion with ICP-AES; gold by fire assay Au-AA23 with AA finish; overlimit gold by gravimetric analysis and overlimit base metals by OG62. ALS runs its own QA/QC protocols including coarse and pulp duplicates. The Company inserts certified reference materials, duplicates and blanks with review of all results; QA/QC and data validation were performed and no material errors were observed.

QUALIFIED PERSON

The scientific and technical information in this presentation has been reviewed and approved by Gary Lohman, B.Sc., P.Geo., VP Exploration and Director, the Company's Qualified Person under National Instrument 43-101. Mr. Lohman is not independent of the Company. The Qualified Person has verified the data underlying the technical information in this presentation, including sampling, analytical and test data.

**Four VMS Projects.  
One District.  
One Legendary Camp.**



**Nine Mile Metals**

The Canadian Securities Exchange has not reviewed and does not accept responsibility for the adequacy or accuracy of the contents of this presentation.

**Multiple projects. Multiple catalysts. Stay tuned.**

## 2026 CORPORATE PRESENTATION

**CSE: NINE**  
**OTCID: VMSXF**  
**FSE: KQ9**

**WEBSITE: [WWW.NINEMILEMETALS.COM](http://WWW.NINEMILEMETALS.COM)**

## Nine Mile Metals Ltd.

**Jonathan Holmes, President** — [jonathan@ninemilemetals.com](mailto:jonathan@ninemilemetals.com)  
**Patrick J. Cruickshank, MBA — CEO & Director** — [patrick@ninemilemetals.com](mailto:patrick@ninemilemetals.com)  
T: +1 (506) 804-6117 · [info@ninemilemetals.com](mailto:info@ninemilemetals.com)

The Canadian Venture Building  
82 Richmond St East, 1st Floor  
Toronto, ON, M5C 1P1

 [@Nine Mile Metals](https://twitter.com/NineMileMetals)

 [@Nine Mile Metals](https://www.youtube.com/NineMileMetals)

 [@Nine Mile Metals](https://www.instagram.com/NineMileMetals)

 [@Nine Mile Metals](https://www.facebook.com/NineMileMetals)

 [@Nine Mile Metals](https://www.linkedin.com/company/NineMileMetals)